



### Glove Sleeves

## Vinyl Sleeve with Attached Glove

116-4560-\*\*\*\*

Exceptional dexterity and sensitivity are produced by this vinyl glove and sleeve combination. The 20 mil thick glove is made from a flexible, translucent yellow vinyl. The curved finger design fits the natural contour of the hands. The chemically-resistant glove can withstand most inorganic acids, alkalis, oils, grease and some solvents.

*Any asterisk (\*) shown in an Item No. will be replaced with a combination of digits identifying all of the options selected.*

Exceptional dexterity and sensitivity are produced by this vinyl glove and sleeve combination. The 20 mil thick glove is made from a flexible, translucent yellow vinyl. The curved finger design fits the natural contour of the hands. The chemically-resistant glove can withstand most inorganic acids, alkalis, oils, grease and some solvents.

### Limitation of Liability

This information is based upon technical data that Standard Safety Equipment Company believes to be reliable. It is subject to revision as additional knowledge and experience are gained. Standard Safety Equipment Company makes no guarantee of results and assumes no obligation or liability in connection with this information. It is the user's responsibility to determine the level of toxicity and the proper personal protective equipment needed. The information set forth herein reflects laboratory performance of fabrics not complete garments, under controlled conditions. It is intended for information use by persons having technical skill for evaluation under their specific end-use conditions, at their own discretion and risk. Anyone intending to use this information should first verify that the garment selected is suitable for the intended use. In many cases, seams and closures have shorter breakthrough times and higher permeation rates than the fabric. Please contact the garment manufacturer for specific data. If fabric becomes torn, abraded, or punctured, end user should discontinue use of garment to avoid potential exposure to chemical. Since conditions of use are outside our control, we make no warranties, express or implied, including without limitations, no warranties of merchantability or fitness for a particular use and assume no liability in connection with any use of this information. This information is not intended as a license to operate under or a recommendation to infringe any patent or technical information of Standard Safety Equipment Company or others covering any material or its use.

## Vinyl Sleeve with Attached Glove

116-4560-\*\*\*\*



Vinyl Sleeve with Attached Glove

116-4560-0003  
Glove Size Large



Vinyl Sleeve with Attached Glove

116-4560-0004  
Glove Size X Large



### Contact Us:

Toll Free: (888) 345-4773

Phone: (815) 363-8565

[info@standardsafety.com](mailto:info@standardsafety.com)

[www.standardsafety.com](http://www.standardsafety.com)

## Limitation of Liability

This information is based upon technical data that Standard Safety Equipment Company believes to be reliable. It is subject to revision as additional knowledge and experience are gained. Standard Safety Equipment Company makes no guarantee of results and assumes no obligation or liability in connection with this information. It is the user's responsibility to determine the level of toxicity and the proper personal protective equipment needed. The information set forth herein reflects laboratory performance of fabrics not complete garments, under controlled conditions. It is intended for information use by persons having technical skill for evaluation under their specific end-use conditions, at their own discretion and risk. Anyone intending to use this information should first verify that the garment selected is suitable for the intended use. In many cases, seams and closures have shorter breakthrough times and higher permeation rates than the fabric. Please contact the garment manufacturer for specific data. If fabric becomes torn, abraded, or punctured, end user should discontinue use of garment to avoid potential exposure to chemical. Since conditions of use are outside our control, we make no warranties, express or implied, including without limitations, no warranties of merchantability or fitness for a particular use and assume no liability in connection with any use of this information. This information is not intended as a license to operate under or a recommendation to infringe any patent or technical information of Standard Safety Equipment Company or others covering any material or its use.